



**AUDIO ON A WHOLE NEW SCALE**





[www.paxproavgroup.com/terraecom](http://www.paxproavgroup.com/terraecom)

**PAGING · INTERCOM · MUSIC STREAMING · AUDIO ROUTING  
SCHEDULER · IN-STORES · CONTROL · MONITORING**

The TERRACOM is a SIP-based audio distribution over IP terminal which requires NO centralised equipment or matrix. The TERRACOM supports POE power supply, or connect to external 24 VDC if POE is not available. The network infrastructure of TERRACOM enhances with a huge advantage by using the existing network, the network itself is the switching matrix over LAN/WAN for transmission and control. This provides flexibility which the installation can be accomplished easier and faster, and less cost. To control and configure the Terracom devices, this can be easily done through your favorite web browser interface. The remarkable features include priority management, backup management, event management, scheduler, volume control, acoustic echo cancellation, noise reduction, paging, intercom, music streaming, routing, logic control, monitoring etc..

By using the TerraManager GUI-based control software, call-paging, full duplex intercom, paging groups, zones selection, audio routing, recording, event scheduler, device I/O monitoring and other control function and device management can be operated. For more complex system which requires In-Store BGM/streaming and system pre-management can be easily configured & monitored by using TerraServer integrated management software.

 <p><b>TERRA-EX</b> Cost-Effective IP Audio Decoder</p> <ul style="list-style-type: none"> <li>• Stereo line output x 1 or mono x 2, contact input x 3, contact output x 1, RS232 x 1 for 3rd party control</li> <li>• USB 2.0 interface for music/message storage, playback and recording</li> <li>• Stereo line output x 1 (3.5mm socket) for headphone</li> <li>• POE Ethernet interface and 24VDC input</li> <li>• Power LED and Status LED</li> <li>• Support G.711, G.722, G.726, G.727, G.729, MP3 audio codec and AAC+ decoder</li> </ul>	 <p><b>TERRA-AMP</b> Amplified IP Terminal (2 x 15W)</p> <ul style="list-style-type: none"> <li>• AMP output x 2 (2 x 15W, 8ohm), mic/line input x 1, stereo line output x 1 or mono x 2, contact input x 3, contact output x 2, RS232 or RS485 for 3rd party control</li> <li>• USB 2.0 interface for music/message storage, playback and recording</li> <li>• Stereo line output x 1 (3.5mm socket) for headphone</li> <li>• POE Ethernet interface and 24 VDC input</li> <li>• Power LED and Status LED</li> <li>• Support G.711, G.722, G.726, G.727, G.729, MP3 audio codec and AAC+ decoder</li> </ul>
 <p><b>TERRA-IEX</b> Full Duplex IP Audio Encoder/Decoder</p> <ul style="list-style-type: none"> <li>• Mic/line input x 2, stereo line output x 1 or mono x 2, contact input x 3, contact output x 2, RS232 or RS485 for 3rd party control</li> <li>• USB 2.0 interface for music/message storage, playback and recording</li> <li>• Stereo line output x 1 (3.5mm socket) for headphone, optional S/PDIF digital transceiver x 1</li> <li>• POE Ethernet interface and 24 VDC input</li> <li>• Power LED and Status LED</li> <li>• Support G.711, G.722, G.726, G.727, G.729, MP3 audio codec and AAC+ decoder</li> </ul>	 <p><b>TERRA-FXO</b> Full Duplex IP Terminal for Intercom</p> <ul style="list-style-type: none"> <li>• Telephone line x 2, RS232 or RS485 for 3rd party control</li> <li>• Full duplex with Acoustic Echo Cancellation</li> <li>• Support G.711, G.722, G.726, G.727, G.729, MP3 audio codec and AAC+ decoder</li> </ul>
 <p><b>TERRA-FDX</b> IP Terminal to Telecom Gateway</p> <ul style="list-style-type: none"> <li>• Mic/line input x 2, stereo line output x 1 or mono x 2, contact input x 3, contact output x 2, RS232 or RS485 for 3rd party control</li> <li>• USB 2.0 interface for music/message storage, playback and recording</li> <li>• POE Ethernet interface and 24 VDC input, Power LED and Status LED</li> <li>• Full duplex with Acoustic Echo Cancellation</li> <li>• Support G.711, G.722, G.726, G.727, G.729, MP3 audio codec and AAC+ decoder</li> </ul>	 <p><b>TERRA-IO</b> Contact I/O Terminal over IP</p> <ul style="list-style-type: none"> <li>• Available for two types of models: contact in x 8 and contact out x 8, contact in x 4 and contact out x 4</li> <li>• RS232 or RS485 for 3rd party control</li> <li>• POE Ethernet interface and 24VDC input, Power LED and Status LED</li> <li>• "Simple Network Management Protocol (SNMP)" for device management on IP networks</li> </ul>
 <p><b>TERRA-EXA</b> Cost-Effective IP Audio Decoder with Amplifier Built-In</p> <ul style="list-style-type: none"> <li>• Amp output x 2 (2 x 8W, 8ohm), contact input x 3, contact output x 1</li> <li>• 24VDC input, Power LED and Status LED</li> <li>• Support G.711, G.722, G.726, G.727, G.729, MP3 audio codec and AAC+ decoder</li> </ul>	 <p><b>TERRA-RD</b> IP Radio and Paging Control Station</p> <ul style="list-style-type: none"> <li>• 2.2" colour LCD panel with configurable setting, built-in speaker</li> <li>• Buttons for radio channel selection and volume adjustment</li> <li>• EVAC, Fault, Vote Paging, Power LED</li> <li>• RTP / HTTP / MMS / shoutcast / Iccast decoding</li> </ul>



**TERRA-DS**  
Wall-Mount SIP/IP Door Station

- Contact output x 2 for door open/close and contact input x 4
- Built-in condenser mic and loudspeaker
- Push-to-talk button, support SIP based call
- PoE or External 24 VDC, Status LED
- Full duplex intercom with Noise Reduction
- Stainless steel front panel
- Support G.711, G.722, G.726, G.727, G.729, MP3 audio codec and AAC+ decoder



**PPM-ITS**

Programmable IP Paging Console


- 5" TFT LCD colour touch panel
- Full duplex intercom with AEC and NR, zone paging and control
- Internal memory for message recording and playback
- Support G.711, G.722, G.726, G.727, G.729, MP3 audio codec and AAC+ decoder



**TERRA-K**

IP Based Intercom Microphone

- Full duplex intercom
- Paging to pre-defined zones
- Pre-recorded announcement and dynamic zone paging via TerraManager
- PoE and External 24 VDC
- Support G.711, G.722, G.726, G.727, G.729, MP3 audio codec and AAC+ decoder



**FEATURES****Streaming**

Easily stream announcement (BGM/Messages) via LAN/WAN

**Paging**

Easily arrange paging solutions and messages or chimes playing via PC/Laptop

**Intercom**

Support VoIP, telephone intercom via LAN/WAN

**In-Stores**

Easily central management of music playback, radio channels, messages

**Device Monitoring & Central Control**

Easily configure and monitor all system devices via PC/Laptop

**APPLICATIONS****Medium-Sized Systems**

Stores (Restaurant, Shopping Malls)  
Office/Industrial Buildings  
University Campus  
Education Institution

**Fully Integrated Large-Scale Systems**

Transportation (Railways, Subways, Airport)  
Hotels/Churches/Arenas  
Museums/Theme Parks  
High-Rise Buildings

**ATEiS Europe B.V.  
Europe & Africa**

Celsiusstraat 1 - 2652 XN Lansingerland  
(Rotterdam Region), Netherlands  
Phone: +31 (0)10 2088690 (EMEA)  
Phone: +49 (0)699 675 9193 (Germany)  
info@ateis-europe.com (EMEA)  
Vertrieb@pax-proavgroup.de (Germany)

**Penton Audio USA  
USA, Canada & Latin America**

21 Sabin Street Pawtucket, RI 02860, USA  
Phone: +1 401-727-1600  
Fax: +1 401-727-0003  
info@penton-usa.com

**ATEiS France**

8, rue de l'Europe - ZA de Font Ratel - 38640,  
Claix, France  
Phone: +33 (0)4 76992637  
Fax: +33 (0)4 76992631  
contact@ateis.com

**ATEiS China**

Room 610, No.255 Wubao Road, Minxing  
district, Shanghai, China  
Phone: +021-54495191/92  
Fax: +021-54495193  
sales@ateis.com.cn

**ATEiS Suisse SA  
Switzerland & Southeast Europe**

Avenue des Baumettes 9, 1020 Renens VD,  
Switzerland  
Phone: +41 (0)218812510  
Fax: +41 (0)218812509  
info@ateis.ch

**ATEiS Far-East**

2F No.60, Xinghua 2nd Rd. Tanzi,  
Taichung, Taiwan  
Phone: +886 4 25333840  
Fax: +886 4 25333830  
sales@ateis-fareast.com

**ATEiS Middle East FZCO.**

**Middle East & India**  
LIU No. 11, Dubai Silicon Oasis,  
293640 Dubai, United Arab Emirates  
Phone: +971 (4) 3262730  
Fax: +971 (4) 3262731  
info@ateis.ae

**ATEiS SE PTE. LTD.**

**South-East Asia**  
Blk 5002 Ang Mo Kio Ave 5, #03-01B TECHplace  
II, Singapore 569871  
Phone: +65 6481 1968  
Fax: +65 6481 1960  
info@ateis-se.com.sg

